

MATERIAL SAFETY DATA SHEET

 REVISION DATE:
 04/18/2012

 DATE PRINTED:
 04/18/2012

REVISION NUMBER: PREPARED BY:

EH&S DEPARTMENT

4

1. CHEMICAL PRODUCT

PRODUCT NAME:

POWER TIME RTU

PRODUCT CODE:

NFPA/HMIS HAZARD CODES(minimal=0; slight=1; moderate=2; serious=3; severe=4)

118945

Health:	2/2	Fire:	tive Equipment:	0/0
Reactivity:	1/1	Special/Protec		Acid/B
NAME OF THE MANUFACTURER:		Rochester Midland Corporation 155 Paragon Drive Rochester, New York 14624 USA	Emergency Phone: INFOTRAC: 1-8 OUTSIDE US: 1	00-535-5053

2. HAZARDS IDENTIFICATION

EFFECTS FROM ACUTE EXPOSURE:

INGESTION: SKIN CONTACT:	May be harmful if swallowed. May cause severe irritation. Causes moderate skin irritation. Prolonged contact causes severe burns which may not be immediately painful or visible.
INHALATION:	Causes moderate respiratory irritation. Possible damage to mucous membranes of nose and throat.
EYE CONTACT:	Causes severe eye irritation. May Cause Eye Burns. May cause permanent eye damage. May cause blindness.
CHRONIC EFFECTS: EFFECTS/CARCINOGENICITY: ROUTES OF ENTRY:	Dermatitis. Possible respiratory damage from inhalation of dust or mist. None listed under OSHA, IARC, or NTP. Routes of entry for solids and liquids include eye and skin contact, ingestion and inhalation.

3. COMPOSITION/INFORMATION ON INGREDIENTS

PRODUCT COMPOSITION CAS#	%	ACGIH TLV	OSHA PELs
Phosphoric acid 7664-38-2	2 - 10	1 mg/m ³	1 mg/m ³

4. FIRST AID MEASURES

INGESTION:	DO NOT INDUCE VOMITING. Drink several glasses of water or milk. Get immediate medical attention. Never give anything by mouth to an unconcious person.
SKIN:	Flush with water for at least 15 minutes while removing all contaminated clothing and shoes. Get medical attention if irritation or burns develop.
INHALATION:	If inhaled, remove to fresh air. If not breathing give artificial respiration, preferably mouth-to- mouth. If breathing is difficult give oxygen. Get medical attention.
EYES:	In case of contact, or suspected contact, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention immediately after flushing.
NOTES TO PHYSICIAN:	None.

5. FIRE AND EXPLOSION HAZARD DATA

FLASH POINT:	(F): None (C): Not determined
METHOD:	None
FLAMMABLE LIMITS IN AIR	
LOWER (%):	No data
UPPER (%):	No data
SENSITIVITY TO MECHANICAL IMPACT(Y/N):	NO
SENSITIVITY TO STATIC DISCHARGE:	Sensitivity to static discharge is not expected.
SUITABLE EXTINGUISHING MEDIA:	Product will not burn. As for surrounding fire.
FIRE FIGHTING PROCEDURES:	Corrosive material. Avoid exposure to mist and splashes. Fire-
	fighters should wear self-contained breathing apparatus and full
	protective clothing when fighting chemical fires. Cool exposed

6. ACCIDENTAL RELEASE MEASURES

SPILL PROCEDURES: SMALL SPILLS: LARGE SPILLS:

Flush residue with water. Reclaim as much as possible. Dike to contain. Pick up with absorbant material. Put in suitable container for disposal. Flush remainder with water.

containers with water spray.

PERSONAL PRECAUTIONS:Not applicableENVIRONMENTAL PRECAUTIONS:Not applicableMETHODS FOR CLEANING UP:Not applicable

7. HANDLING AND STORAGE

Caution: Concentrated acidic liquid. Avoid contact with eyes, skin and clothing. Do not breathe mist or vapors. Store only in original container and keep closed. Store in a cool, dry area. Store in a well ventilated area. Mix only with water.
Do not reuse container. Read and follow label instructions. Keep out of reach of children. Not applicable.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

PROTECTIVE EQUIPMENT:



EXPOSURE CONTROLS: RESPIRATORY PROTECTION:	None known. None normally required. Use NIOSH approved acid respirator with dust/mist filter if spray mist in air exceeds exposure limits.
PROTECTIVE GLOVES:	Rubber or plastic gloves recommended to minimize skin contact.
EYE PROTECTION:	Goggles. Face shield.
OTHER PERSONAL PROTECTION	Rubber boots. Appropriate protective clothing as needed to prevent skin contact. Liquid may
EQUIPMENT:	penetrate leather shoes and cause delayed burns. Eyewash fountains and safety showers must be easily accessible.
VENTILATION:	Not normally required. General mechanical and/or local exhaust as needed to meet exposure limits if mist in air. Corrosion resistant equipment recommended. When cleaning aluminum of galvanized surfaces, use explosion proof equipment to remove any hydrogen gas.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE AND ODOR: BOILING POINT (F): VAPOR PRESSURE: VAPOR DENSITY (AIR=1): Clear, orange liquid. Peach fragrance. 245° F approx. (C) Not determined As water As water

Page 2 of 4

9. PHYSICAL AND CHEMICAL PROPERTIES

SOLUBILITY IN WATER:	Not determined
SPECIFIC GRAVITY:	1.104 - 1.134
VOC Content (%):	NE
EVAPORATION RATE:	Less than water
PH:	1.10 - 1.50

10. STABILITY AND REACTIVITY

STABILITY DATA: POLYMERIZATION: HAZARDOUS DECOMPOSITION:	STABLE Will Not Occur. If evaporated to dryness, as in a fire, may release: Soot. Smoke. Carbon Monoxide. Oxides of Phosphorus. Oxides of Nitrogen.
INCOMPATIBILITY (MATERIALS TO AVOID):	Do not mix with: Alkalines. Chlorine containing materials. Peroxides. Reducing agents. Avoid contact with aluminum, zinc, other soft metals or galvanized metals. Reaction will generate hydrogen gas. This gas is flammable and/or explosive in presence of ignition source.
CONDITIONS/HAZARDS TO AVOID:	None.

11. TOXICOLOGICAL INFORMATION

ACUTE TOXICITY:	Not Established
EFFECTS OF CHRONIC EXPOSURE:	Not established.
OTHER TOXIC EFFECTS:	Not established.

12. ECOLOGICAL INFORMATION

ECOTOXICOLOGICAL	No data at this time
INFORMATION: CHEMICAL FATE INFORMATION:	No data at this time.
MOBILITY:	Not applicable.
PERSISTENCE/DEGRADABILITY:	Not applicable
BIOACCUMULATIVE POTENTIAL:	Not applicable
OTHER ADVERSE EFFECTS:	Not applicable

13. DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHODS: Dispose in accordance with Federal, State and Local regulations.

14. TRANSPORT INFORMATION

Please refer to the Bill of Lading/Receiving documents for up to date shipping information.

15. REGULATORY INFORMATION

PRODUCT COMPOSITION CAS#	%	TSCA:	EINECS:	Canada DSL:	CA PROP 65:
Phosphoric acid 7664-38-2	2 - 10	Listed	Listed	Listed	Not Listed

PRODUCT COMPOSITION CAS#	%	CERCLA:	SARA 302:	SARA 313:
Phosphoric acid 7664-38-2	2 - 10	2270 kg 5000 lb	Not Listed	Not Listed

POWER TIME RTU

PRODUCT COMPOSITION CAS#	%	Canada WHMIS:
Phosphoric acid 7664-38-2	2 - 10	Listed

The following components of this material are included in the Massachusetts Substance List and are present at or above reportable levels.

PRODUCT COMPOSITION CAS#	%	MARTK:
Phosphoric acid 7664-38-2	2 - 10	Listed

 The following components of this material are included in the New Jersey Substance List and are present at or above reportable levels.

 PRODUCT COMPOSITION
 %
 NJRTK:

 CAS#
 NJRTK:
 NJRTK:

Phosphoric acid 7664-38-2	2 - 10	Listed

The following components of this material are included in the Pennsylvania Substance List and are present at or above reportable levels.

PRODUCT COMPOSITION CAS#	%	PARTK:
Phosphoric acid 7664-38-2	2 - 10	Listed

16. OTHER INFORMATION

This information was compiled from current, reliable sources and is believed to be correct. As data, and/or regulations change, and conditions of use and handling are beyond our control, no warranty, express or implied, is made as to completeness or continuing accuracy of this information.

*** END OF MSDS ***