

PRODUCT SPECIFICATION AND MATERIAL SAFETY DATA SHEET
TRACTION MELT BLENDED ICE MELTING COMPOUND

Effective Date: July 2010

Identity: Traction Melt Blended Ice Melting Compound contains a proprietary combination of Sodium Chloride and Magnesium Chloride with Corrosion Inhibitor

Hazardous Ingredients/Identity Information:
Does not contain Hazardous Components

Physical/Chemical Characteristics:

Boiling Point:	Not Applicable
Vapor Pressure:	Not Applicable
Vapor Density:	Not Applicable
Melting Point:	Not Applicable
Evaporation Rate:	Not Applicable
Specific Gravity:	2.076
Solubility in Water:	317 gpl @ 0 degrees C
Appearance & Odor:	White and Lt. Grey Dry Granules, Minimal Odor

Fire and Explosion Hazard Data:

Flash Point:	Not Applicable
Flammable Limits:	Not Applicable
Lel and Uel:	Not Applicable
Extinguishing Media:	Water or Foam
Spec. Fire Fighting Procedures:	None
Unusual Fire & Explosion Hazards:	None

Reactivity Data:

Stability:	Stable
Condition to Avoid:	Strong Oxidizing Acids
Incompatibility:	Not Applicable
Hazardous Decomposition or By-Products:	Not Applicable
Hazardous Polymerization:	Will not occur

Health Hazard Data:



SCOTWOOD INDUSTRIES, INC.

12980 Metcalf Ave. STE 240
Overland Park, Kansas 66213
Phone: 800.844.2022
Fax: 913.851.3377

Routes of Entry

Inhalation: Not Applicable Under Normal Conditions
Skin: Not Applicable Under Normal Conditions
Ingestion: Not Applicable Under Normal Conditions

Health Hazards: None Known

Carcinogenicity: NTP Not Applicable
Larc Monographs Not Applicable
OSHA Regulated Not Applicable

Signs & Symptoms of Exposure: None

Medical Conditions Generally Aggravated by Exposure: None Known

Emergency and First Aid Procedures: Wash Off With Water
In case of eye contact, flush eyes with running water.
If ingested, induce vomiting by lavage with water or milk.

Precautions for Safe Handling and Use:

Steps to be taken in case material is released or spilled:

- 1. Sweep up clean material into clean container.

Waste disposal method:

- 1. Discard in normal waste disposal according to local regulations.

Precautions to be Taken in Handling or Storage:

- 1. Store in a dry area - Wash hands after handling.

Control Measures:

Respiratory Protection: Not Normally Needed
Ventilation: Not Needed Under Normal Conditions

Protective Clothing or Equipment:

Gloves-----Optional
Eye Protection--Optional
Other-----Optional

Work/Hygienic Practices:

Wash Hands after Handling with Warm Soapy Water

Precautions:

Storage and Handling Precautions:

Store in Dry, Well Ventilated Area
Practice Good Housekeeping, Clean up Spills Immediately

References & Definitions:



SCOTWOOD INDUSTRIES, INC.

12980 Metcalf Ave. STE 240
Overland Park, Kansas 66213
Phone: 800.844.2022
Fax: 913.851.3377

Combinations: NaCL CAS# 7647-14-5
MgCl₂ CAS# 7786-30-3
Corrosion Inhibitor CAS# 7446-20-2